

HDPE Pipe



Disclaimer

Information in the catalog

GF Central Plastics is as diligent as possible in compiling and updating the information in its catalog. However, GF Central Plastics does not guarantee the correctness and completeness of the information provided in its catalog. Equally, GF Central Plastics does not guarantee that this information is up to date. Drawings dimensions and weights, unless otherwise noted by tolerances, should be considered for reference only and may not reflect the exact physical measurements of the parts. For questions concerning our products, their specifications and their utilization please contact your local Regional Sales Manager or Customer Service Representative of GF Central Plastics. For comments concerning the product catalog, please email gfccentralmarketing@georgfischer.com.

Pipe

Weatherability

GF Central Plastics black polyethylene pipe, PE3408/PE3608/PE4710, is protected against degradation by a combination of stabilizers and carbon black. The pipe formulation contains in excess of 2% carbon black imparting the black color as well as effective protection from ultraviolet radiation. Carbon black is the single most effective additive to enhance weatherability in GF Central Plastics' polyethylene pipe. Weatherability studies indicate that carbon black imparts UV stability that makes our polyethylene pipe acceptable for normal outside storage for a period of years without a detrimental loss of physical properties. Good inventory practices should be maintained to insure optimum performance by installing the pipe in two years or less. If pipe must be stored for more than two years, it should be stored under cover, out of direct sunlight.

Joining

Industry standards recommend the butt heat fusion method for joining. The butt heat fusion joints are as strong as the pipe wall itself. Quick bursts tests have shown ductile rupture of the pipe wall before rupture of the fusion joint.

Applications

GF Central Plastics is well qualified to meet the demanding needs of the municipal water and wastewater markets, energy markets in applications such as oil and gas gathering systems, methane recovery from coal seams and landfills, and water supply lines for oil recovery systems. Pipe marked with NSF-61 meets the rigorous standards of third party testing performed by the National Sanitation Foundation. This pipe is manufactured to ASTM D3035 and F-714.

Improved Material Designations

The recent updates and additions to ASTM D3350 caused the EHMW-HDPE resins designated as PE3408 in 2006, to become PE3608 in 2007. The HDPE material did not change, but the ASTM D3350 cell classification that described the material did change, necessitating the upgrade to PE3608. Those same changes encompassed the addition of PE4710 High Performance Polyethylene (HPPE) into the arsenal of pipe grade resins. A PE4710 HPPE piping system can result in a 15% savings when compared to current costs of PE3408 piping systems. By virtue of its higher pressure rating enabling the use of the next lower DR, wall thickness becomes less, ID increases and the weight per foot of pipe is reduced.

PE3608 Material Designation (prev. PE3408)

Materials designated as PE3608 have a hydrostatic design basis of 1600 psi for water at 73° F. After applying the 0.5 Design Factor, the design working stress for 73°F is 800 psi.

PE4710 Material Designation (prev. PE3408)

Materials designated as PE4710 have a hydrostatic design basis of 1600 psi for water at 73° F. After applying the 0.63 Design Factor, the design working stress for 73° F is 1000 psi. PE4710 has higher performance as described in PPI's TN41.

Pressure Ratings

The longevity of polyethylene pipe is calculated between 50 years to 100 years when properly engineered and installed for the conditions and application. Pressure ratings for polyethylene pipe are determined by use of the ISO equation:

$$P = [(2 \times HDB) / (SDR - 1)] \times DF \times F_T$$

P = Working pressure of the pipeline

HDB = Hydrostatic Design Basis of the material
1600 psi for PE 3408, PE3608 or PE4710

SDR = Standard Dimension Ratio (OD/min wall)

DF = Design Factor

F_T = Elevated temperature service factor

A design factor of 0.50 is recommended for water or dry natural gas in areas not affected by Federal regulations. The design factor dry natural gas in areas under the U.S. Department of Transportation (DOT) jurisdiction, according to the Code of Federal Regulations, Title 49, Part 192.123, is 0.32 with a maximum allowable operating pressure of 100 psi. The Design Factor for crude oil or wet natural gas is 0.25.

Elevated Temperature Service Factor (F_T)

MAXIMUM CONTINUOUSLY APPLIED SERVICE TEMPERATURE, °F (°C)	TEMPERATURE COMPENSATION FACTOR, FT, FOR PE3408 / PE3608 / PE4710
< 80 (26)	1.00
< 90 (32)	0.90
< 100 (38)	0.78
< 110 (43)	0.75
< 120 (49)	0.63
< 130 (54)	0.60
< 140 (60)	0.50

Applicable / Available Standards

ASTM: F714, F2620, D3035, D3350, D2513
NSF 61, AWWA C901/C906, FM 1613

Table of Contents

HDPE Pipe

Industry No Stripe	2
Fire Protection Pipe Red Stripe	29
Potable Water Industry Blue Stripe	42
Waste Water Industry Green Stripe	63
Methane/Propane Natural Gas Industry Yellow Stripe	89
Index	103

IPS - 50' Long



**HDPE PIPE: Industry
IPS, DR17
Gray Pipe, No Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
10	10.750	360 031 267	8.830
16	16.000	360 031 315	19.570
24	24.000	360 031 347	44.030



**HDPE PIPE: Industry
IPS, DR19
Gray Pipe, No Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 031 239	3.020
8	8.625	360 031 255	5.120
10	10.750	360 031 271	7.960
12	12.750	360 031 287	11.200
14	14.000	360 031 303	13.500
16	16.000	360 031 319	17.630
18	18.000	360 031 335	22.320



**HDPE PIPE: Industry
IPS, DR7
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 572	7.370
8	8.625	360 030 626	12.500
10	10.750	360 030 680	19.420
12	12.750	360 030 734	27.310
14	14.000	360 030 788	32.930
16	16.000	360 030 812	43.010
18	18.000	360 030 866	54.430
20	20.000	360 030 908	67.200
22	22.000	360 030 950	81.320
24	24.000	360 030 992	96.770



**HDPE PIPE: Industry
IPS, DR9
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 578	5.960
8	8.625	360 030 632	10.110
10	10.750	360 030 686	15.700
12	12.750	360 030 740	22.080
14	14.000	360 030 794	26.630
16	16.000	360 030 818	34.780
18	18.000	360 030 872	44.020
20	20.000	360 030 914	54.340
22	22.000	360 030 956	65.750
24	24.000	360 030 998	78.250
26	26.000	360 031 036	91.840
30	30.000	360 031 060	122.270
32	32.000	360 031 074	139.120



**HDPE PIPE: Industry
IPS, DR11
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 584	5.000
8	8.625	360 030 638	8.470
10	10.750	360 030 692	13.160
12	10.750	360 030 746	18.510
14	14.000	360 030 800	22.320
16	16.000	360 030 824	29.150
18	18.000	360 030 878	36.890
20	20.000	360 030 920	45.540
22	22.000	360 030 962	55.100
24	24.000	360 031 004	65.580
26	26.000	360 031 038	76.960
28	28.000	360 031 050	89.260
30	30.000	360 031 062	102.470
32	32.000	360 031 076	116.580
36	36.000	360 031 086	147.550



**HDPE PIPE: Industry
IPS, DR13.5
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 590	4.150
8	8.625	360 030 644	7.040
10	10.750	360 030 698	10.930
16	16.000	360 030 830	24.220



**HDPE PIPE: Industry
IPS, DR15.5
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
10	10.750	360 030 704	9.630



**HDPE PIPE: Industry
IPS, DR17
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 602	3.360
8	8.625	360 030 656	5.690
10	10.750	360 030 710	8.830
12	12.750	360 030 764	12.430
16	16.000	360 030 842	19.570
18	18.000	360 030 884	24.770
20	20.000	360 030 926	30.580
22	22.000	360 030 968	37.000
24	24.000	360 031 010	44.030
26	26.000	360 031 040	51.670
28	28.000	360 031 052	59.930
30	30.000	360 031 064	68.800
32	32.000	360 031 078	78.280
36	36.000	360 031 088	99.070



**HDPE PIPE: Industry
IPS, DR19
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
24	24	360 031 016	39.670



**HDPE PIPE: Industry
IPS, DR21
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 608	2.750
8	8.625	360 030 662	4.660
10	10.750	360 030 716	7.240
12	12.750	360 030 770	10.190
16	16.000	360 030 848	16.040
18	18.000	360 030 890	20.300
20	20.000	360 030 932	25.070
24	24.000	360 031 022	36.100
30	30.000	360 031 068	56.400
32	32.000	360 031 080	64.170
36	36.000	360 031 090	81.210



**HDPE PIPE: Industry
IPS, DR26
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 614	2.240
18	18.000	360 030 896	16.570
20	20.000	360 030 938	20.450
22	22.000	360 030 980	24.750
24	24.000	360 031 028	29.450
28	28.000	360 031 056	40.090
30	30.000	360 031 070	46.020
32	32.000	360 031 082	52.360
36	36.000	360 031 092	66.270



**HDPE PIPE: Industry
IPS, DR32.5
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 620	1.810
10	10.750	360 030 728	4.770
16	16.000	360 030 860	10.560
24	24.000	360 031 034	23.760
26	26.000	360 031 046	27.890
30	30.000	360 031 072	37.130
32	32.000	360 031 084	42.240
36	36.000	360 031 094	53.460

DIPS - 50' Long



**HDPE PIPE: Industry
DIPS, DR17
Gray Pipe, No Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D3035
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 031 971	1.760
8	9.050	360 031 140	6.260
10	11.100	360 031 156	9.420
12	13.200	360 031 168	13.320
16	17.400	360 031 200	23.140



**HDPE PIPE: Industry
DIPS, DR19
Gray Pipe, No Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D3035
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
8	9.050	360 031 148	5.640
10	11.100	360 031 160	8.490
12	13.200	360 031 172	12.000
16	17.400	360 031 204	20.850



**HDPE PIPE: Industry
DIPS, DR7
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 023	8.000
8	9.050	360 030 065	13.760
10	11.100	360 030 101	20.700
12	13.200	360 030 143	29.270
14	15.300	360 030 179	39.330

table continued on the next page

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
16	17.100	360 030 227	50.870
18	19.500	360 030 269	63.890
20	21.600	360 030 311	78.390
24	25.800	360 030 353	111.830



**HDPE PIPE: Industry
DIPS, DR9
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 029	6.470
8	9.050	360 030 071	11.130
10	11.100	360 030 107	16.740
12	13.200	360 030 149	23.670
14	15.300	360 030 185	31.800
16	17.400	360 030 233	41.130
18	19.500	360 030 275	51.660
20	21.600	360 030 317	63.380
24	25.800	360 030 359	90.430
30	32.000	360 030 395	139.120



**HDPE PIPE: Industry
DIPS, DR11
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 035	5.420
8	9.050	360 030 077	9.320
10	11.100	360 030 113	14.030
12	13.200	360 030 155	19.840
14	15.300	360 030 191	26.650
16	17.400	360 030 239	34.470
18	19.500	360 030 281	43.290

table continued on the next page

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
20	21.600	360 030 323	53.120
24	25.800	360 030 365	75.780
30	32.000	360 030 401	116.580
36	38.300	360 030 437	167.010



**HDPE PIPE: Industry
DIPS, DR13.5
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 041	4.500
12	13.200	360 030 161	16.480
14	15.300	360 030 197	22.150
16	17.400	360 030 245	28.640
20	21.600	360 030 329	44.140
36	38.300	360 030 443	138.770



**HDPE PIPE: Industry
DIPS, DR14.3
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
14	15.300	360 030 203	21.010



**HDPE PIPE: Industry
DIPS, DR17
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 047	3.640
8	9.050	360 030 089	6.260
10	11.100	360 030 125	9.420
12	13.200	360 030 167	13.320
14	15.300	360 030 209	17.890
16	17.400	360 030 251	23.140
18	19.500	360 030 293	29.070
20	21.600	360 030 335	35.660
24	25.800	360 030 377	50.880
30	32.000	360 030 413	78.280
36	38.300	360 030 449	112.130



**HDPE PIPE: Industry
DIPS, DR19
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 053	3.280



**HDPE PIPE: Industry
DIPS, DR21
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other options available upon request.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 059	2.980
12	13.200	360 030 173	10.920
20	21.600	360 030 341	29.240
30	32.000	360 030 419	64.170



**HDPE PIPE: Industry
DIPS, DR26
Black Pipe, No Stripe, 50' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
14	15.300	360 030 211	11.970
30	32.000	360 030 425	52.360
36	38.300	360 030 461	75.000

IPS - 40' Long



**HDPE PIPE: Industry
IPS, DR11
Gray Pipe, No Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D3035
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
8	8.625	360 031 246	8.470
16	16.000	360 031 310	29.150



**HDPE PIPE: Industry
IPS, DR17
Gray Pipe, No Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D3035
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.500	360 031 226	1.550
6	6.625	360 031 234	3.360
8	8.625	360 031 250	5.690
10	10.750	360 031 266	8.830
12	10.750	360 031 282	12.430
14	14.000	360 031 298	14.980
16	16.000	360 031 314	19.570
18	18.000	360 031 330	24.770
22	22.000	360 032 003	37.000
24	24.000	360 031 346	44.030



**HDPE PIPE: Industry
IPS, DR19
Gray Pipe, No Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D3035
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 031 238	3.020
8	8.625	360 031 254	5.120
10	10.750	360 031 270	7.960
12	12.750	360 031 286	11.200

table continued on the next page

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
14	14.000	360 031 302	13.500
16	16.000	360 031 318	17.630
18	18.000	360 031 334	22.320
22	22.000	360 032 004	33.340



**HDPE PIPE: Industry
IPS, DR21
Gray Pipe, No Stripe, 40' Long**

- Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM D3035
 - Approval: ASTM F714
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
8	8.625	360 031 258	4.660
12	12.750	360 031 290	10.190



**HDPE PIPE: Industry
IPS, DR7
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 506	0.950
3	3.500	360 030 524	2.060
4	4.600	360 030 545	3.400
6	6.625	360 030 571	7.370
8	8.625	360 030 625	12.500
10	10.750	360 030 679	19.420
12	12.750	360 030 733	27.310
14	14.000	360 030 787	32.930
16	16.000	360 030 811	43.010
18	18.000	360 030 865	54.430
20	18.000	360 030 907	67.200
22	22.000	360 030 949	81.320
24	24.000	360 030 991	96.770



**HDPE PIPE: Industry
IPS, DR9
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 509	0.770
3	3.600	360 030 527	1.660
4	4.600	360 030 548	2.750
6	6.625	360 030 577	5.960
8	8.625	360 030 631	10.110
10	10.750	360 030 685	15.700
12	12.750	360 030 739	22.080
14	14.000	360 030 793	26.630
16	16.000	360 030 817	34.780
18	18.000	360 030 871	44.020
20	20.000	360 030 913	54.340
22	22.000	360 030 955	65.750
24	24.000	360 030 997	78.250
26	26.000	360 031 035	91.840
28	28.000	360 031 047	106.510
30	30.000	360 031 059	122.270
32	32.000	360 031 073	139.120



**HDPE PIPE: Industry
IPS, DR11
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 512	0.640
3	3.500	360 030 530	1.390
4	4.500	360 030 551	2.310
6	6.625	360 030 583	5.000
8	8.625	360 030 637	8.470
10	10.750	360 030 691	13.160
12	12.750	360 030 745	18.510
14	14.000	360 030 799	22.320
16	16.000	360 030 823	29.150
18	18.000	360 030 877	36.890
20	20.000	360 030 919	45.540
22	22.000	360 030 961	55.100
24	24.000	360 031 003	65.580
26	26.000	360 031 037	76.960

table continued on the next page

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
28	28.000	360 031 049	89.260
30	30.000	360 031 061	102.470
32	32.000	360 031 075	116.580
36	36.000	360 031 085	147.550



**HDPE PIPE: Industry
IPS, DR13.5
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 515	0.530
3	3.500	360 030 533	1.160
4	4.500	360 030 554	1.920
6	6.675	360 030 589	4.150
8	8.675	360 030 643	7.040
10	10.750	360 030 697	10.930
12	12.750	360 030 751	15.380
16	16.000	360 030 829	24.220



**HDPE PIPE: Industry
IPS, DR15.5
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.500	360 030 556	1.920
10	10.750	360 030 703	9.630



**HDPE PIPE: Industry
IPS, DR17
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 518	0.430
3	3.500	360 030 539	0.940
4	4.500	360 030 560	1.550
6	6.625	360 030 601	3.360
8	8.625	360 030 655	5.690
10	10.750	360 030 709	8.830
12	12.750	360 030 763	12.430
14	14.000	360 030 805	14.980
16	16.000	360 030 841	19.570
18	18.000	360 030 883	24.770
20	20.000	360 030 925	30.580
22	22.000	360 030 967	37.000
24	24.000	360 031 009	44.030
26	26.000	360 031 039	51.670
28	28.000	360 031 051	59.930
30	30.000	360 031 063	68.800
32	32.000	360 031 077	78.280
36	36.000	360 031 087	99.070



**HDPE PIPE: Industry
IPS, DR19
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
24	24.000	360 031 015	39.670



**HDPE PIPE: Industry
IPS, DR21
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 521	0.350
3	3.500	360 030 542	0.770
4	4.500	360 030 563	1.270
6	6.625	360 030 607	2.750
8	8.625	360 030 661	4.660
10	10.750	360 030 715	7.240
12	12.750	360 030 769	10.190
16	16.000	360 030 847	16.040
18	18.000	360 030 889	20.030
20	20.000	360 030 931	25.070
24	24.000	360 031 021	36.100
30	30.000	360 031 067	56.400
32	32.000	360 031 079	64.170
36	36.000	360 031 089	81.210



**HDPE PIPE: Industry
IPS, DR26
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.500	360 030 566	1.040
6	6.625	360 030 613	2.240
12	12.750	360 030 775	8.310
18	18.000	360 030 895	16.570
20	20.000	360 030 937	20.450
22	22.000	360 030 979	24.750
24	24.000	360 031 027	29.450
30	30.000	360 031 069	46.020
32	32.000	360 031 081	52.360
36	36.000	360 031 091	66.270



**HDPE PIPE: Industry
IPS, DR32.5
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
10	10.750	360 030 727	4.770
16	16.000	360 030 859	10.560
24	24.000	360 031 033	23.760
26	26.000	360 031 045	27.890
30	30.000	360 031 071	37.130
32	32.000	360 031 083	42.240
36	36.000	360 031 093	53.460

DIPS - 40' Long



**HDPE PIPE: Industry
DIPS, DR17
Gray Pipe, No Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
8	9.050	360 031 139	6.260
10	11.100	360 031 155	9.420
12	13.200	360 031 167	13.320
16	17.400	360 031 199	23.140
18	19.500	360 031 858	29.070



**HDPE PIPE: Industry
DIPS, DR19
Gray Pipe, No Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
8	9.050	360 031 147	5.640
10	11.100	360 031 159	8.490
12	13.200	360 031 171	12.000
16	17.400	360 031 203	20.850
20	21.600	360 031 781	32.130



**HDPE PIPE: Industry
DIPS, DR21
Gray Pipe, No Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
8	9.050	360 031 151	5.130
10	11.100	360 031 163	7.720
12	13.200	360 031 175	10.920
14	15.300	360 031 191	14.670
16	17.400	360 031 207	18.970
18	19.500	360 031 223	23.830



**HDPE PIPE: Industry
DIPS, DR26,
Gray Pipe, No Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
12	13.200	360 032 149	8.910



**HDPE PIPE: Industry
DIPS, DR7
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 030 002	3.870
6	6.900	360 030 022	8.000
8	9.050	360 030 064	13.760
10	11.100	360 030 100	20.700
12	13.200	360 030 142	29.270
14	15.300	360 030 178	39.330

table continued on the next page

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
16	17.400	360 030 226	50.870
18	19.500	360 030 268	63.890
20	21.600	360 030 310	78.390
24	25.800	360 030 352	111.830



**HDPE PIPE: Industry
DIPS, DR9
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 030 005	3.130
6	6.900	360 030 028	6.470
8	9.050	360 030 070	11.130
10	11.100	360 030 106	16.740
12	13.200	360 030 148	23.670
14	15.300	360 030 184	31.800
16	17.400	360 030 232	41.130
18	19.500	360 030 274	51.660
20	21.600	360 030 316	63.380
24	25.800	360 030 358	90.430
30	32.000	360 030 394	139.120



**HDPE PIPE: Industry
DIPS, DR11
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 030 008	2.620
6	6.900	360 030 034	5.420
8	9.050	360 030 076	9.320
10	11.100	360 030 112	14.030
12	13.200	360 030 154	19.840
14	15.300	360 030 190	26.650
16	17.400	360 030 238	34.470
18	19.500	360 030 280	43.290

table continued on the next page

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
20	21.600	360 030 322	53.120
24	25.800	360 030 364	75.780
30	32.000	360 030 400	116.580
36	38.300	360 030 436	138.770



**HDPE PIPE: Industry
DIPS, DR13.5
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 030 011	2.180
6	6.900	360 030 040	4.500
8	9.050	360 030 082	7.750
10	11.100	360 030 118	11.660
12	13.200	360 030 160	16.480
14	15.300	360 030 196	22.150
16	17.400	360 030 244	28.640
18	19.500	360 030 286	35.970
20	21.600	360 030 328	44.140
24	25.800	360 030 370	62.970
30	32.000	360 030 406	96.870
36	38.300	360 030 442	138.770



**HDPE PIPE: Industry
DIPS, DR14.3
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
14	15.300	360 030 202	21.010



**HDPE PIPE: Industry
DIPS, DR17
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 030 014	1.760
6	6.900	360 030 046	3.640
8	9.050	360 030 088	6.260
10	11.100	360 030 124	9.420
12	13.200	360 030 166	13.320
14	15.300	360 030 208	17.890
16	17.400	360 030 250	23.140
18	19.500	360 030 292	29.070
20	21.600	360 030 334	35.660
24	25.800	360 030 376	50.880
30	32.000	360 030 412	78.280
36	38.300	360 030 448	112.130



**HDPE PIPE: Industry
DIPS, DR19
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 052	3.280



**HDPE PIPE: Industry
DIPS, DR21
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 030 017	1.440
6	6.900	360 030 058	2.980
8	9.050	360 030 094	5.130
10	11.100	360 030 130	7.720
12	13.200	360 030 172	10.920
14	15.300	360 030 214	14.670
16	17.400	360 030 256	18.970
18	19.500	360 030 298	23.830
20	21.600	360 030 340	29.240
24	25.800	360 030 382	41.710
30	32.000	360 030 418	64.170
36	38.300	360 030 454	91.920
42	44.500	360 030 472	124.090
48	50.800	360 030 490	161.720



**HDPE PIPE: Industry
DIPS, DR26
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
14	15.300	360 030 220	11.970
16	17.400	360 030 262	15.480
18	19.500	360 030 304	19.440
20	21.600	360 030 346	23.860
24	25.800	360 030 388	34.040
30	32.000	360 030 424	52.360
36	38.300	360 030 460	75.000
42	44.500	360 030 478	101.250
48	50.800	360 030 496	131.950



**HDPE PIPE: Industry
DIPS, DR32.5
Black Pipe, No Stripe, 40' Long**

- Blue stripe optional.
 - Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: AWWA C901
 - Approval: ASTM D3035
 - Approval: ASTM F714
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
10	11.100	360 030 136	5.080
30	32.000	360 030 430	42.240
36	38.300	360 030 466	60.510
42	44.500	360 030 484	81.690
48	50.800	360 030 502	106.460

IPS - 50' Long



**HDPE PIPE: Fire Protection (FM)
IPS, DR7, Class 267
Black Pipe, Red Stripe, 50' Long**

- Black pipe, red stripe, red print line.
 - Red stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: FM 1613
 - Approval: AWWA C906
 - Approval: ASTM F714
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
8	8.625	360 031 629	10.000
10	10.750	360 031 641	15.536
12	12.750	360 031 653	21.848
14	14.000	360 031 665	26.344
16	16.000	360 031 677	34.408
18	18.000	360 031 689	43.544
20	20.000	360 031 701	53.760
22	22.000	360 031 713	65.056
24	24.000	360 031 725	77.416



**HDPE PIPE: Fire Protection (FM)
IPS, DR7, Class 267
Black Pipe, 50' Long**

- Black pipe, no stripe, red print line.
 - Red stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: FM 1613
 - Approval: AWWA C906
 - Approval: ASTM F714
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 031 619	7.370
8	8.625	360 031 631	12.500
10	10.750	360 031 643	19.420
12	12.750	360 031 655	27.310
14	14.000	360 031 667	32.930
16	16.000	360 031 679	43.010
18	18.000	360 031 691	54.430
20	20.000	360 031 703	67.200
22	22.000	360 031 715	81.320
24	24.000	360 031 727	96.770



HDPE PIPE: Fire Protection (FM)
IPS, DR9, Class 200
Black Pipe, Red Stripe, 50' Long

- Black pipe, red stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 031 621	5.960
8	8.625	360 031 633	10.110
10	10.750	360 031 645	15.700
12	12.750	360 031 657	22.080
14	14.000	360 031 669	26.630
16	16.000	360 031 681	34.780
18	18.000	360 031 693	44.020
20	20.000	360 031 705	54.340
22	22.000	360 031 717	65.750
24	24.000	360 031 729	78.250



HDPE PIPE: Fire Protection (FM)
IPS, DR9, Class 200
Black Pipe, 50' Long

- Black pipe, no stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 031 623	4.768
8	8.625	360 031 635	8.088
10	10.750	360 031 647	12.560
12	12.750	360 031 659	17.664
14	14.000	360 031 671	21.304
16	16.000	360 031 683	27.824
18	18.000	360 031 695	35.216
20	20.000	360 031 707	43.472
22	22.000	360 031 719	52.600
24	24.000	360 031 731	62.600



HDPE PIPE: Fire Protection (FM)
IPS, DR11, Class 150
Black Pipe, Red Stripe, 50' Long

- Black pipe, red stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****



Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 031 625	250.000
8	8.625	360 031 637	423.500
10	10.750	360 031 649	658.000
12	12.750	360 031 661	925.500
14	14.000	360 031 673	1116.000
16	16.000	360 031 685	1457.500
18	18.000	360 031 697	1844.500
20	20.000	360 031 709	2277.000
22	22.000	360 031 721	2755.000
24	24.000	360 031 733	3279.000



HDPE PIPE: Fire Protection (FM)
IPS, DR11, Class 150
Black Pipe, 50' Long

- Black pipe, no stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****



Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 031 627	4.000
8	8.625	360 031 639	6.776
10	10.750	360 031 651	10.528
12	12.750	360 031 663	14.808
14	14.000	360 031 675	17.856
16	16.000	360 031 687	23.320
18	18.000	360 031 699	29.512
20	20.000	360 031 711	36.432
22	22.000	360 031 723	44.080
24	24.000	360 031 735	52.464

DIPS - 50' Long



**HDPE PIPE: Fire Protection (FM)
DIPS, DR9, Class 200
Black Pipe, Red Stripe, 50' Long**

- Black pipe, red stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
20	21.600	360 031 583	63.380
24	25.800	360 031 591	90.430



**HDPE PIPE: Fire Protection (FM)
DIPS, DR9, Class 200
Black Pipe, 50' Long**

- Black pipe, no stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 031 529	6.470
8	9.050	360 031 537	11.130
10	11.100	360 031 545	16.740
12	13.200	360 031 553	23.670
14	15.300	360 031 561	31.800
16	17.400	360 031 569	41.130
18	19.500	360 031 577	51.660
20	21.600	360 031 585	63.380
24	25.800	360 031 593	90.430



**HDPE PIPE: Fire Protection (FM)
DIPS, DR11, Class 200
Black Pipe, Red Stripe, 50' Long**

- Black pipe, red stripe, red print line.
 - Red stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: FM 1613
 - Approval: AWWA C906
 - Approval: ASTM F714
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 031 531	5.420
8	9.050	360 031 539	9.320
10	11.100	360 031 547	14.030
12	13.200	360 031 555	19.840
14	15.300	360 031 563	26.650
16	17.400	360 031 571	34.470
18	19.500	360 031 579	43.290
20	21.600	360 031 587	53.120
24	25.800	360 031 595	75.780



**HDPE PIPE: Fire Protection (FM)
DIPS, DR11, Class 200
Black Pipe, 50' Long**

- Black pipe, no stripe, red print line.
 - Red stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: FM 1613
 - Approval: AWWA C906
 - Approval: ASTM F714
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 031 533	5.420
8	9.050	360 031 541	9.320
10	11.100	360 031 549	14.030
12	13.200	360 031 557	19.840
14	15.300	360 031 565	26.650
16	17.400	360 031 573	34.470
18	19.500	360 031 581	43.290
20	21.600	360 031 589	53.120
24	25.800	360 031 597	75.780

IPS - 40' Long



**HDPE PIPE: Fire Protection (FM)
IPS, DR7, Class 267
Black Pipe, Red Stripe, 40' Long**

- Black pipe, red stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 031 598	0.950
3	3.500	360 031 604	2.060
4	4.500	360 031 610	3.400
6	6.625	360 031 616	7.370
8	8.625	360 031 628	12.500
10	10.750	360 031 640	19.420
12	12.750	360 031 652	27.310
14	14.000	360 031 664	32.930
16	16.000	360 031 676	43.010
18	18.000	360 031 688	54.430
20	20.000	360 031 700	67.200
22	22.000	360 031 712	81.320
24	24.000	360 031 724	96.770



**HDPE Pipe: Fire Protection (FM)
IPS, DR7, Class 267
Black Pipe, 40' Long**

- Black pipe, no stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 031 599	0.950
3	3.500	360 031 605	2.060
4	4.500	360 031 611	3.400
6	6.625	360 031 618	7.370
8	8.625	360 031 630	12.500
10	10.750	360 031 642	19.420
12	12.750	360 031 654	27.310
14	14.000	360 031 666	32.930
16	16.000	360 031 678	43.010
18	18.000	360 031 690	54.430
20	20.000	360 031 702	67.200
22	22.000	360 031 714	81.320
24	24.000	360 031 726	96.770



**HDPE PIPE: Fire Protection (FM)
IPS, DR9, Class 200
Black Pipe, Red Stripe, 40' Long**

- Black pipe, red stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 031 600	0.770
3	3.500	360 031 606	1.660
4	4.500	360 031 612	2.750
6	6.625	360 031 620	5.960
8	8.625	360 031 632	10.110
10	10.750	360 031 644	15.700
12	12.750	360 031 656	22.080
14	14.000	360 031 668	26.630
16	16.000	360 031 680	34.780
18	18.000	360 031 692	44.020
20	20.000	360 031 704	54.340
22	22.000	360 031 716	65.750
24	24.000	360 031 728	78.250



**HDPE PIPE: Fire Protection (FM)
IPS, DR9, Class 200
Black Pipe, 40' Long**

- Black pipe, no stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 031 601	0.770
3	3.500	360 031 607	1.660
4	4.500	360 031 613	2.750
6	6.625	360 031 622	5.960
8	8.625	360 031 634	10.110
10	10.750	360 031 646	15.700
12	12.750	360 031 658	22.080
14	14.000	360 031 670	26.630
16	16.000	360 031 682	34.780
18	18.000	360 031 694	44.020
20	20.000	360 031 706	54.340
22	22.000	360 031 718	65.750
24	24.000	360 031 730	78.250



HDPE PIPE: Fire Protection (FM)
IPS, DR11, Class 150
Black Pipe, Red Stripe, 40' Long

- Black pipe, red stripe, red print line.
- Red stripe optional.
- Call for availability of other sizes and dimensions.
- Other lengths available.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 031 602	0.640
3	3.500	360 031 608	1.390
4	4.500	360 031 614	2.310
6	6.625	360 031 624	5.000
8	8.625	360 031 636	8.470
10	10.750	360 031 648	13.160
12	12.750	360 031 660	18.510
14	14.000	360 031 672	22.320
16	16.000	360 031 684	29.150
18	18.000	360 031 696	36.890
20	20.000	360 031 708	45.540
22	22.000	360 031 720	55.100
24	24.000	360 031 732	65.580



HDPE PIPE: Fire Protection (FM)
IPS, DR11, Class 150
Black Pipe, 40' Long

- Black pipe, no stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 031 603	0.640
3	3.500	360 031 609	1.390
4	4.500	360 031 615	2.310
6	6.625	360 031 626	5.000
8	8.625	360 031 638	8.470
10	10.750	360 031 650	13.160
12	12.750	360 031 662	18.510
14	14.000	360 031 674	22.320
16	16.000	360 031 686	29.150
18	18.000	360 031 698	36.890
20	20.000	360 031 710	45.540
22	22.000	360 031 722	55.100
24	24.000	360 031 735	65.580

DIPS - 40' Long



**HDPE PIPE: Fire Protection (FM)
DIPS, DR9, Class 200
Black Pipe, Red Stripe, 40' Long**

- Black pipe, red stripe, red print line.
 - Red stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: FM 1613
 - Approval: AWWA C906
 - Approval: ASTM F714
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 031 522	3.130
6	6.900	360 031 526	6.470
8	9.050	360 031 534	11.130
10	11.100	360 031 542	16.740
12	13.200	360 031 550	23.670
14	15.300	360 031 558	31.800
16	17.400	360 031 566	41.130
18	19.500	360 031 574	51.660
24	25.800	360 031 590	90.430



**HDPE PIPE: Fire Protection (FM)
DIPS, DR9, Class 200
Black Pipe, 40' Long**

- Black pipe, no stripe, red print line.
 - Red stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: FM 1613
 - Approval: AWWA C906
 - Approval: ASTM F714
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 031 523	3.130
6	6.900	360 031 528	6.470
8	9.050	360 031 536	11.130
10	11.100	360 031 544	16.740
14	15.300	360 031 560	31.800
16	17.400	360 031 568	41.130
18	19.500	360 031 576	51.660
20	21.600	360 031 584	63.380



HDPE PIPE: Fire Protection (FM)
DIPS, DR11, Class 150
Black Pipe, Red Stripe, 40' Long

- Black pipe, red stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 031 524	2.620
6	6.900	360 031 530	5.420
8	9.050	360 031 538	9.320
10	11.100	360 031 546	14.030
12	13.200	360 031 554	19.840
14	15.300	360 031 562	26.650
16	17.400	360 031 570	34.470
18	19.500	360 031 578	43.290
20	21.600	360 031 586	53.120
24	25.800	360 031 594	75.780



HDPE PIPE: Fire Protection (FM)
DIPS, DR11, Class 150
Black Pipe, 40' Long

- Black pipe, no stripe, red print line.
- Red stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: FM 1613
- Approval: AWWA C906
- Approval: ASTM F714

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.
4	4.800	360 031 525
6	6.900	360 031 532
8	9.050	360 031 540
10	11.100	360 031 548
12	13.200	360 031 556
14	15.300	360 031 564
16	17.400	360 031 572
18	19.500	360 031 580
20	21.600	360 031 588
24	25.800	360 031 596

IPS - 50' Long



HDPE PIPE: Potable Water Industry IPS, DR7, Black Pipe Blue Stripe, 50' Long

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 570	7.370
8	8.625	360 030 624	12.500
10	10.750	360 030 678	19.420
12	12.750	360 030 732	27.310
14	14.000	360 030 786	32.930
16	16.000	360 030 810	43.010
18	18.000	360 030 854	54.430
20	20.000	360 030 906	67.200
22	22.000	360 030 948	81.320
24	24.000	360 030 990	96.770



HDPE PIPE: Potable Water Industry IPS, DR9, Black Pipe Blue Stripe, 50' Long

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 576	5.960
8	8.625	360 030 630	10.110
10	10.750	360 030 684	15.700
12	12.750	360 030 738	22.080
14	14.000	360 030 792	26.630
16	16.000	360 030 816	34.780
18	18.000	360 030 870	44.020
20	20.000	360 030 912	54.340
22	22.000	360 030 954	65.750
24	24.000	360 030 996	78.250



**HDPE PIPE: Potable Water Industry
IPS, DR11, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 582	5.000
8	8.625	360 030 636	8.470
10	10.750	360 030 690	13.160
12	12.750	360 030 744	18.510
14	14.000	360 030 798	22.320
16	16.000	360 030 822	29.150
18	18.000	360 030 876	36.890
20	20.000	360 030 918	45.540
22	22.000	360 030 960	55.100
24	24.000	360 031 002	65.580



**HDPE PIPE: Potable Water Industry
IPS, DR13.5, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 583	5.000
8	8.625	360 030 642	7.040
10	10.750	360 030 696	10.930
16	16.000	360 030 828	24.220



**HDPE PIPE: Potable Water Industry
IPS, DR15.5, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
10	10.750	360 030 702	9.630



**HDPE PIPE: Potable Water Industry
IPS, DR17, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 600	3.360
8	8.625	360 030 654	5.690
10	10.750	360 030 708	8.830
12	12.750	360 030 762	12.430
14	14.000	360 030 804	14.980
16	16.000	360 030 840	19.570
18	18.000	360 030 882	24.770
20	20.000	360 030 924	30.580
22	22.000	360 030 966	37.000
24	24.000	360 031 008	44.030



**HDPE PIPE: Potable Water Industry
IPS, DR19, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
24	24.000	360 031 014	39.670





**HDPE PIPE: Potable Water Industry
IPS, DR21, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 606	2.750
8	8.625	360 030 660	4.660
10	10.750	360 030 714	7.240
12	12.750	360 030 768	10.190
16	16.000	360 030 846	16.040
18	18.000	360 030 888	20.300
20	20.000	360 030 930	25.070
24	24.000	360 031 020	36.100



**HDPE PIPE: Potable Water Industry
IPS, DR26, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 612	2.240
18	18.000	360 030 894	16.570
20	20.000	360 030 936	20.450
22	22.000	360 030 978	24.750
24	24.000	360 031 026	29.450



**HDPE PIPE: Potable Water Industry
IPS, DR32.5, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 618	1.810
10	10.750	360 030 726	4.770
16	16.000	360 030 858	10.560
24	24.000	360 031 032	23.760

DIPS - 50' Long



HDPE PIPE: Potable Water Industry DIPS, DR7, Black Pipe Blue Stripe, 50' Long

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 021	8.000
8	9.050	360 030 063	13.760
10	11.100	360 030 099	20.700
12	13.200	360 030 141	29.270
14	15.300	360 030 177	39.330
16	17.400	360 030 225	50.870
18	19.500	360 030 267	63.890
20	21.600	360 030 309	78.390
24	25.800	360 030 351	111.830



HDPE PIPE: Potable Water Industry DIPS, DR9, Black Pipe Blue Stripe, 50' Long

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 027	6.470
8	9.050	360 030 069	11.130
10	11.100	360 030 105	16.740
12	13.200	360 030 147	23.670
14	15.300	360 030 183	31.800
16	17.400	360 030 231	41.130
18	19.500	360 030 273	51.660
20	21.600	360 030 315	63.380
24	25.800	360 030 357	90.430
30	32.000	360 030 393	139.120



**HDPE PIPE: Potable Water Industry
DIPS, DR11, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 033	5.420
8	9.050	360 030 075	9.320
10	11.100	360 030 111	14.030
12	13.200	360 030 153	19.840
14	15.300	360 030 189	26.650
16	17.400	360 030 237	34.470
18	19.500	360 030 279	43.290
20	21.600	360 030 321	53.120
24	25.800	360 030 363	75.780
30	32.000	360 030 399	116.580
36	38.300	360 030 435	167.010



**HDPE PIPE: Potable Water Industry
DIPS, DR13.5, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 039	4.500
12	13.200	360 030 159	16.480
14	15.300	360 030 195	22.150
16	17.400	360 030 243	28.640
30	32.000	360 030 327	44.140
36	38.300	360 030 441	138.770



**HDPE PIPE: Potable Water Industry
DIPS, DR14.3, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
14	15.300	360 030 201	21.010



**HDPE PIPE: Potable Water Industry
DIPS, DR17, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 045	3.640
8	9.050	360 030 087	6.260
10	11.100	360 030 123	9.420
12	13.200	360 030 165	13.320
14	15.300	360 030 207	17.890
16	17.400	360 030 249	23.140
18	19.500	360 030 291	29.070
20	21.600	360 030 333	35.660
24	25.800	360 030 375	50.880
30	32.000	360 030 411	78.280
36	38.300	360 030 447	112.130



**HDPE PIPE: Potable Water Industry
DIPS, DR19, Black Pipe
Blue Stripe, 50' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 051	3.280





HDPE PIPE: Potable Water Industry
DIPS, DR21, Black Pipe
Blue Stripe, 50' Long

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 057	2.980
12	13.200	360 030 171	10.920
20	21.600	360 030 339	29.240
30	32.000	360 030 417	64.170
36	38.300	360 030 453	91.920



HDPE PIPE: Potable Water Industry
DIPS, DR26, Black Pipe
Blue Stripe, 50' Long

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
14	15.300	360 030 219	11.970
30	32.000	360 030 423	52.360
36	38.300	360 030 459	75.000



IPS - 40' Long



HDPE PIPE: Potable Water Industry IPS, DR7, Black Pipe Blue Stripe, 40' Long

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 505	0.950
3	3.500	360 030 523	2.060
4	4.500	360 030 544	3.400
6	6.625	360 030 569	7.370
8	8.625	360 030 623	12.500
10	10.750	360 030 677	19.420
12	12.750	360 030 731	27.310
14	14.000	360 030 785	32.930
16	16.000	360 030 809	43.010
18	18.000	360 030 863	54.430
20	20.000	360 030 905	67.200
22	22.000	360 030 947	81.320
24	24.000	360 030 989	96.770



HDPE PIPE: Potable Water Industry IPS, DR9, Black Pipe Blue Stripe, 40' Long

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 508	0.770
3	3.500	360 030 526	1.660
4	4.500	360 030 547	2.750
6	6.625	360 030 575	5.960
8	8.625	360 030 629	10.110
10	10.750	360 030 683	15.700
12	12.750	360 030 737	22.080
14	14.000	360 030 791	26.630
16	16.000	360 030 815	34.780
18	18.000	360 030 869	44.020
20	20.000	360 030 911	54.340
22	22.000	360 030 953	65.750
24	24.000	360 030 995	78.250



**HDPE PIPE: Potable Water Industry
IPS, DR11, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 511	0.640
3	3.500	360 030 529	1.390
4	4.500	360 030 550	2.310
6	6.625	360 030 581	5.000
8	8.625	360 030 635	8.470
10	10.750	360 030 689	13.160
12	12.750	360 030 743	18.510
14	14.000	360 030 797	22.320
16	16.000	360 030 821	29.150
18	18.000	360 030 875	36.890
20	20.000	360 030 917	45.540
22	22.000	360 030 959	55.100
24	24.000	360 031 001	65.580



**HDPE PIPE: Potable Water Industry
IPS, DR13.5, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 514	0.530
3	3.500	360 030 532	1.160
4	4.500	360 030 553	1.920
6	6.625	360 030 587	4.150
8	8.625	360 030 641	7.040
10	10.750	360 030 695	10.930
16	16.000	360 030 827	24.220





**HDPE PIPE: Potable Water Industry
IPS, DR15.5, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
10	10.750	360 030 701	0.430



**HDPE PIPE: Potable Water Industry
IPS, DR17, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 517	0.430
3	3.500	360 030 538	0.940
4	4.500	360 030 559	1.550
6	6.625	360 030 599	3.360
8	8.625	360 030 653	5.690
10	10.750	360 030 707	8.830
12	12.750	360 030 761	12.430
14	14.000	360 030 803	14.980
16	16.000	360 030 839	19.570
18	18.000	360 030 881	24.770
20	20.000	360 030 923	30.580
22	22.000	360 030 965	37.000
24	24.000	360 031 007	44.030



**HDPE PIPE: Potable Water Industry
IPS, DR19, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
24	24.000	360 031 013	39.67



**HDPE PIPE: Potable Water Industry
IPS, DR21, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 520	0.350
3	3.500	360 030 541	0.770
4	4.500	360 030 562	1.270
6	6.625	360 030 605	2.750
8	8.625	360 030 659	4.660
10	10.750	360 030 713	7.240
12	12.750	360 030 767	10.190
16	16.000	360 030 845	16.040
18	18.000	360 030 887	20.300
20	20.000	360 030 929	25.070
24	24.000	360 031 019	36.100





**HDPE PIPE: Potable Water Industry
IPS, DR26, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.500	360 030 565	1.040
6	6.625	360 030 611	2.240
18	18.000	360 030 893	16.570
20	20.000	360 030 935	20.450
22	22.000	360 030 977	24.750
26	26.000	360 031 025	29.450



**HDPE PIPE: Potable Water Industry
IPS, DR32.5, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 617	1.810
10	10.750	360 030 725	4.770
16	16.000	360 030 857	10.560
24	24.000	360 031 031	23.760

DIPS, 40' Long



HDPE PIPE: Potable Water Industry DIPS, DR7, Black Pipe Blue Stripe, 40' Long

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 030 001	3.870
6	6.900	360 030 020	8.000
8	9.050	360 030 062	13.760
10	11.100	360 030 098	20.700
12	13.200	360 030 140	29.270
14	15.300	360 030 176	39.330
16	17.400	360 030 224	50.870
18	19.500	360 030 266	63.890
20	21.600	360 030 308	78.390
24	25.800	360 030 350	111.830



HDPE PIPE: Potable Water Industry DIPS, DR9, Black Pipe Blue Stripe, 40' Long

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 030 004	3.130
6	6.900	360 030 026	6.470
8	9.050	360 030 068	11.130
10	11.100	360 030 104	16.740
12	13.200	360 030 146	23.670
14	15.300	360 030 182	31.800
16	17.400	360 030 230	41.130
18	19.500	360 030 272	51.660
20	21.600	360 030 314	63.380
24	25.800	360 030 356	90.430
30	32.000	360 030 392	139.120



**HDPE PIPE: Potable Water Industry
DIPS, DR11, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 030 007	2.620
6	6.900	360 030 032	5.420
8	9.050	360 030 074	9.320
10	11.100	360 030 110	14.030
12	13.200	360 030 152	19.840
14	15.300	360 030 188	26.650
16	17.400	360 030 236	34.470
18	19.500	360 030 278	43.290
20	21.600	360 030 320	53.120
24	25.800	360 030 362	75.780
30	32.000	360 030 398	116.580
36	38.300	360 030 434	167.010



**HDPE PIPE: Potable Water Industry
DIPS, DR13.5, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 030 010	2.180
6	6.900	360 030 038	4.500
8	9.050	360 030 080	7.750
10	11.100	360 030 116	11.660
12	13.200	360 030 158	16.480
14	15.300	360 030 194	22.150
16	17.400	360 030 242	28.640
18	19.500	360 030 284	35.970
20	21.600	360 030 326	44.140
24	25.800	360 030 368	62.970
30	32.000	360 030 404	96.870
36	38.300	360 030 440	138.770



**HDPE PIPE: Potable Water Industry
DIPS, DR14.3, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
14	15.300	360 030 200	21.010



**HDPE PIPE: Potable Water Industry
DIPS, DR17, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 030 013	1.760
6	6.900	360 030 044	3.640
8	9.050	360 030 086	6.260
10	11.100	360 030 122	9.420
12	13.200	360 030 164	13.320
14	15.300	360 030 206	17.890
16	17.400	360 030 248	23.140
18	19.500	360 030 290	29.070
20	21.600	360 030 332	35.660
24	25.800	360 030 374	50.880
30	32.000	360 030 410	78.280
36	38.300	360 030 446	112.130





**HDPE PIPE: Potable Water Industry
DIPS, DR19, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 050	3.280



**HDPE PIPE: Potable Water Industry
DIPS, DR21, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 030 016	1.440
6	6.900	360 030 056	2.980
8	9.050	360 030 092	5.130
10	11.100	360 030 128	7.720
12	13.200	360 030 170	10.920
14	15.300	360 030 212	14.670
16	17.400	360 030 254	18.970
18	19.500	360 030 296	23.830
20	21.600	360 030 338	29.240
24	25.800	360 030 380	41.710
30	32.000	360 030 416	64.170
36	38.300	360 030 452	91.920
42	44.500	360 030 470	124.090
48	50.800	360 030 488	161.720





**HDPE PIPE: Potable Water Industry
DIPS, DR26, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
14	15.300	360 030 218	11.970
16	17.400	360 030 260	15.480
18	19.500	360 030 302	19.440
20	21.800	360 030 344	23.860
24	25.800	360 030 386	34.040
30	32.000	360 030 422	52.360
36	38.300	360 030 458	75.000
42	44.500	360 030 476	101.250
48	50.800	360 030 494	131.950



**HDPE PIPE: Potable Water Industry
DIPS, DR32.5, Black Pipe
Blue Stripe, 40' Long**

- Blue stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
10	11.100	360 030 134	5.080
30	32.000	360 030 428	42.240
36	38.300	360 030 464	60.510
42	44.500	360 030 482	81.690
48	50.800	360 030 500	106.460



IPS - 50' Long



**HDPE PIPE: Waste Water Industry
IPS, DR19, Gray Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 031 237	3.020
8	8.625	360 031 253	5.120
10	10.750	360 031 269	7.960
12	12.750	360 031 285	11.200
14	14.000	360 031 301	13.500
16	16.000	360 031 317	17.630
18	18.000	360 031 333	22.320



**HDPE PIPE: Waste Water Industry
IPS, DR7, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 568	7.370
8	8.625	360 030 622	12.500
10	10.750	360 030 676	19.420
12	12.750	360 030 730	27.310
14	14.000	360 030 784	32.930
16	16.000	360 030 808	43.010
18	18.000	360 030 862	54.430
20	20.000	360 030 904	67.200
22	22.000	360 030 946	81.320
24	24.000	360 030 988	96.770



**HDPE PIPE: Waste Water Industry
IPS, DR9, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 574	5.960
8	8.625	360 030 628	10.110
10	10.750	360 030 682	15.700
12	12.750	360 030 736	22.080
14	14.000	360 030 790	26.630
16	16.000	360 030 814	34.780
18	18.000	360 030 868	44.020
20	20.000	360 030 910	54.340
22	22.000	360 030 952	65.750
24	24.000	360 030 994	78.250



**HDPE PIPE: Waste Water Industry
IPS, DR11, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 580	5.000
8	8.625	360 030 634	8.470
10	10.750	360 030 688	13.160
12	12.750	360 030 742	18.510
14	14.000	360 030 796	22.320
16	16.000	360 030 820	29.150
18	18.000	360 030 874	36.890
20	20.000	360 030 916	45.540
22	22.000	360 030 958	55.100
24	24.000	360 031 000	65.580



HDPE PIPE: Waste Water Industry
IPS, DR13.5, Black Pipe
Green Stripe, 50' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 586	4.150
8	8.625	360 030 640	7.040
10	10.750	360 030 694	10.930
16	16.000	360 030 826	24.220



HDPE PIPE: Waste Water Industry
IPS, DR15.5, Black Pipe
Green Stripe, 50' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
10	10.750	360 030 700	9.630



HDPE PIPE: Waste Water Industry
IPS, DR17, Black Pipe
Green Stripe, 50' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 598	3.360
8	8.625	360 030 652	5.690
10	10.750	360 030 706	8.830
12	12.750	360 030 760	12.430
14	14.000	360 030 802	14.980
16	16.000	360 030 838	19.570

table continued on the next page

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
18	18.000	360 030 880	24.770
20	20.000	360 030 922	30.580
22	22.000	360 030 964	37.000
24	24.000	360 031 006	44.030



**HDPE PIPE: Waste Water Industry
IPS, DR19, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM F714
 - Approval: ASTM D3035
 - Approval: AWWA C901
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
24	24.000	360 031 012	39.670



**HDPE PIPE: Waste Water Industry
IPS, DR21, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM F714
 - Approval: ASTM D3035
 - Approval: AWWA C901
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 604	2.750
8	8.625	360 030 658	4.660
10	10.750	360 030 712	7.240
12	12.750	360 030 766	10.190
16	16.000	360 030 844	16.040
18	18.000	360 030 886	20.300
20	20.000	360 030 928	25.070
24	24.000	360 031 018	36.100



HDPE PIPE: Waste Water Industry
IPS, DR26, Black Pipe
Green Stripe, 50' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 610	2.240
18	18.000	360 030 892	16.570
20	20.000	360 030 934	20.450
22	22.000	360 030 976	24.750
26	26.000	360 031 024	29.450



HDPE PIPE: Waste Water Industry
IPS, DR32.5, Black Pipe
Green Stripe, 50' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C901
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 616	1.810
10	10.750	360 030 724	4.770
16	16.000	360 030 856	10.560
24	24.000	360 031 030	23.760

DIPS - 50' Long



HDPE PIPE: Waste Water Industry
DIPS, DR17, Gray Pipe
Green Stripe, 50' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
8	8.625	360 031 802	6.260
12	12.750	360 031 281	12.430
18	18.000	360 031 214	29.070



HDPE PIPE: Waste Water Industry
DIPS, DR19, Gray Pipe
Green Stripe, 50' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
8	8.625	360 031 146	5.640
10	10.750	360 031 158	8.490
12	12.000	360 031 170	12.000
16	16.000	360 031 202	20.850



HDPE PIPE: Waste Water Industry
DIPS, DR7, Black Pipe
Green Stripe, 50' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 019	8.000
8	9.050	360 030 061	13.760
10	11.100	360 030 097	20.700
12	13.200	360 030 139	29.270
14	15.300	360 030 175	39.330

table continued on the next page

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
16	17.400	360 030 223	50.870
18	19.500	360 030 265	63.890
20	21.600	360 030 307	78.390
24	25.800	360 030 349	111.830



**HDPE PIPE: Waste Water Industry
DIPS, DR9, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 025	6.470
8	9.050	360 030 067	11.130
10	11.100	360 030 103	16.740
12	13.200	360 030 145	23.670
14	15.300	360 030 181	31.800
16	17.400	360 030 229	41.130
18	19.500	360 030 273	51.660
20	21.600	360 030 313	63.380
24	25.800	360 030 355	90.430
30	32.000	360 030 391	139.120



**HDPE PIPE: Waste Water Industry
DIPS, DR 11, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 031	5.420
8	9.050	360 030 073	9.320
10	11.100	360 030 109	14.030
12	13.200	360 030 151	19.840
14	15.300	360 030 187	26.650
16	17.400	360 030 235	34.470
18	19.500	360 030 277	43.290
20	21.600	360 030 319	53.120
24	25.800	360 030 361	75.780
30	32.000	360 030 397	116.580
36	38.300	360 030 433	167.010



HDPE PIPE: Waste Water Industry
DIPS, DR13.5, Black Pipe
Green Stripe, 50' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 037	4.500
12	13.200	360 030 157	16.480
16	17.400	360 030 241	28.640
20	21.600	360 030 325	44.140
36	38.300	360 030 438	138.770
36	38.300	360 030 439	138.770



HDPE PIPE: Waste Water Industry
DIPS, DR14.3, Black Pipe
Green Stripe, 50' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
14	15.300	360 030 199	21.010



HDPE PIPE: Waste Water Industry
DIPS, DR17, Black Pipe
Green Stripe, 50' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 043	3.640
8	9.050	360 030 085	6.260
10	11.100	360 030 121	9.420
12	13.200	360 030 163	13.320
14	15.300	360 030 205	17.890
16	17.400	360 030 247	23.140
18	19.500	360 030 289	29.070

table continued on the next page

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
20	21.600	360 030 331	35.660
24	25.800	360 030 373	50.880
30	32.000	360 030 409	78.280
36	38.300	360 030 445	112.130



**HDPE PIPE: Waste Water Industry
DIPS, DR19, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM F714
 - Approval: ASTM D3035
 - Approval: AWWA C906
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 049	3.280



**HDPE PIPE: Waste Water Industry
DIPS, DR21, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM F714
 - Approval: ASTM D3035
 - Approval: AWWA C906
 - Approval: NSF-61
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 055	2.980
12	13.200	360 030 169	10.920
20	21.600	360 030 337	29.240
30	32.000	360 030 415	64.170
36	38.300	360 030 451	91.920



**HDPE PIPE: Waste Water Industry
DIPS, DR26, Black Pipe
Green Stripe, 50' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
14	15.300	360 030 217	11.970
30	32.000	360 030 421	52.360
36	38.300	360 030 457	75.000

IPS - 40' Long



HDPE PIPE: Waste Water Industry
IPS, DR13.5, Gray Pipe
Green Stripe, 40' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
8	8.625	360 031 852	7.040



HDPE PIPE: Waste Water Industry
IPS, DR19, Gray Pipe
Green Stripe, 40' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 031 236	3.020
8	8.625	360 031 252	5.120
10	10.750	360 031 268	7.960
12	12.750	360 031 284	11.200
14	14.000	360 031 300	13.500
16	16.000	360 031 316	17.630
18	18.000	360 031 332	22.320



HDPE PIPE: Waste Water Industry
IPS, DR21, Gray Pipe
Green Stripe, 40' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
8	8.625	360 031 256	4.660
10	10.750	360 031 272	7.240



**HDPE PIPE: Waste Water Industry
IPS, DR7, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 504	0.950
3	3.500	360 030 522	2.060
4	4.500	360 030 543	3.400
6	6.625	360 030 567	7.370
8	8.625	360 030 621	12.500
10	10.750	360 030 675	19.420
12	12.750	360 030 729	27.310
14	14.000	360 030 783	32.930
16	16.000	360 030 807	43.010
18	18.000	360 030 861	54.430
20	20.000	360 030 903	67.200
24	24.000	360 030 987	96.770



**HDPE PIPE: Waste Water Industry
IPS, DR9, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 507	0.770
3	3.500	360 030 525	1.660
4	4.500	360 030 546	2.750
6	6.625	360 030 573	5.960
8	8.625	360 030 627	10.110
10	10.750	360 030 681	15.700
12	12.750	360 030 735	22.080
14	14.000	360 030 789	26.630
16	16.000	360 030 813	34.780
18	18.000	360 030 867	44.020
20	20.000	360 030 909	54.340
22	22.000	360 030 951	65.750
24	24.000	360 030 993	78.250



**HDPE PIPE: Waste Water Industry
IPS, DR11, Black Pipe,
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 510	0.640
3	3.500	360 030 528	1.390
4	4.500	360 030 549	2.310
6	6.625	360 030 579	5.000
8	8.625	360 030 633	8.470
10	10.750	360 030 687	13.160
12	12.750	360 030 741	18.510
14	14.000	360 030 795	22.320
16	16.000	360 030 819	29.150
18	18.000	360 030 873	36.890
20	20.000	360 030 915	45.540
22	22.000	360 030 957	55.100
24	24.000	360 030 999	65.580



**HDPE PIPE: Waste Water Industry
IPS, DR19, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
24	24.000	360 031 011	39.670



**HDPE PIPE: Waste Water Industry
IPS, DR13.5, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 513	0.530
3	3.500	360 030 531	1.160
4	4.500	360 030 552	1.920
6	6.625	360 030 585	4.150
8	8.625	360 030 639	7.040
10	10.750	360 030 693	10.930
16	16.000	360 030 825	24.220



**HDPE PIPE: Waste Water Industry
IPS, DR15.5, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
10	10.750	360 030 699	9.630



**HDPE PIPE: Waste Water Industry
IPS, DR17, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 516	0.430
3	3.500	360 030 537	0.940
4	4.500	360 030 558	1.550
6	6.625	360 030 597	3.360
8	8.625	360 030 651	5.690
10	10.750	360 030 708	8.830
12	12.750	360 030 759	12.430

table continued on the next page

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
14	14.000	360 030 801	14.980
16	16.000	360 030 837	19.570
18	18.000	360 030 879	24.770
20	20.000	360 030 921	30.580
22	22.000	360 030 963	37.000
24	24.000	360 031 005	44.030



**HDPE PIPE: Waste Water Industry
IPS, DR21, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 030 519	0.350
3	3.500	360 030 540	0.770
4	4.500	360 030 561	1.270
6	6.625	360 030 603	2.750
8	8.625	360 030 657	4.660
10	10.750	360 030 711	7.240
12	12.750	360 030 765	10.190
16	16.000	360 030 843	16.040
18	18.000	360 030 885	20.300
20	20.000	360 030 927	25.070
24	24.000	360 031 017	36.100



**HDPE PIPE: Waste Water Industry
IPS, DR26, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.500	360 030 564	1.040
6	6.625	360 030 609	2.240
18	18.000	360 030 891	16.570
20	20.000	360 030 933	20.450
22	22.000	360 030 975	24.750
24	24.000	360 031 023	29.450



**HDPE PIPE: Waste Water Industry
IPS, DR32.5, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: AWWA C901
- Approval: ASTM D3035
- Approval: ASTM F714
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 030 615	1.810
10	10.750	360 030 723	4.770
16	16.000	360 030 855	10.560
24	24.000	360 031 029	23.760

DIPS - 40' Long



HDPE PIPE: Waste Water Industry
DIPS, DR11, Gray Pipe
Green Stripe, 40' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
8	9.050	360 031 137	6.260
10	11.100	360 032 178	14.030
12	12.300	360 031 276	18.510
14	15.300	360 031 177	26.650



HDPE PIPE: Waste Water Industry
DIPS, DR17, Gray Pipe
Green Stripe, 40' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 031 742	3.640
8	9.050	360 031 141	6.260
10	11.100	360 031 153	9.420
12	13.200	360 031 165	13.320
16	17.400	360 031 197	23.140



HDPE PIPE: Waste Water Industry
DIPS, DR19, Gray Pipe
Green Stripe, 40' Long

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
8	9.050	360 031 145	5.640
10	11.100	360 031 157	8.490
12	13.200	360 031 169	12.000
16	17.400	360 031 201	20.850



**HDPE PIPE: Waste Water Industry
DIPS, DR21, Gray Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
8	9.050	360 031 149	5.130
10	11.100	360 031 161	7.720
12	13.200	360 031 173	10.920
14	15.300	360 031 189	14.670
16	17.400	360 031 205	18.970
18	19.500	360 031 221	23.830



**HDPE PIPE: Waste Water Industry
DIPS, DR7, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 030 000	3.870
6	6.900	360 030 018	8.000
8	9.050	360 030 060	13.760
10	11.100	360 030 096	20.700
12	13.200	360 030 138	29.270
14	15.300	360 030 174	39.330
16	17.400	360 030 222	50.870
18	19.500	360 030 264	63.890
20	21.600	360 030 306	78.390
24	25.800	360 030 348	111.830



**HDPE PIPE: Waste Water Industry
DIPS, DR9, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 030 003	3.130
6	6.900	360 030 024	6.470
8	9.050	360 030 066	11.130
10	11.100	360 030 102	16.740
12	13.200	360 030 144	23.670
14	15.300	360 030 180	31.800
16	17.400	360 030 228	41.130
18	19.500	360 030 270	51.660
20	21.600	360 030 312	63.380
24	25.800	360 030 354	90.430
30	32.000	360 030 390	139.120



**HDPE PIPE: Waste Water Industry
DIPS, DR11, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 030 006	2.620
6	6.900	360 030 030	5.420
8	9.050	360 030 072	9.320
10	11.100	360 030 108	14.030
12	13.200	360 030 150	19.840
14	15.300	360 030 186	26.650
16	17.400	360 030 234	34.470
18	19.500	360 030 276	43.290
20	21.600	360 030 318	53.120
24	25.800	360 030 360	75.780
30	32.000	360 030 396	116.580
36	38.300	360 030 432	167.010



**HDPE PIPE: Waste Water Industry
DIPS, DR13.5, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 030 009	2.100
6	6.900	360 030 036	4.500
8	9.050	360 030 078	7.750
10	11.100	360 030 114	11.660
12	13.200	360 030 156	16.480
14	15.300	360 030 192	22.150
16	17.400	360 030 240	28.640
18	19.500	360 030 282	35.970
20	21.600	360 030 324	44.140
24	25.800	360 030 366	62.970
30	32.000	360 030 402	96.870



**HDPE PIPE: Waste Water Industry
DIPS, DR14.3, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
14	15.300	360 030 198	21.010



**HDPE PIPE: Waste Water Industry
DIPS, DR17, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.800	360 030 012	1.760
6	6.900	360 030 042	3.640
8	9.050	360 030 084	6.260
10	11.100	360 030 120	9.420
12	13.200	360 030 162	13.320
14	15.300	360 030 204	17.890
16	17.400	360 030 246	23.140
18	19.500	360 030 288	29.070
20	21.600	360 030 330	35.660
24	25.800	360 030 372	50.880
30	32.000	360 030 408	78.280
36	38.300	360 030 444	112.130



**HDPE PIPE: Waste Water Industry
DIPS, DR19, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.900	360 030 048	3.280



**HDPE PIPE: Waste Water Industry
DIPS, DR21, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.900	360 030 015	1.440
6	6.900	360 030 054	2.980
8	9.050	360 030 090	5.130
10	11.100	360 030 126	7.720
12	13.200	360 030 168	10.920
14	15.300	360 030 210	14.670
16	17.400	360 030 252	18.970
18	19.500	360 030 294	23.830
20	21.600	360 030 336	29.240
24	25.800	360 030 378	50.880
30	32.000	360 030 414	64.170
36	38.300	360 030 450	91.920
42	44.500	360 030 468	124.090
48	50.800	360 030 486	161.720



**HDPE PIPE: Waste Water Industry
DIPS, DR26, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
14	15.300	360 030 216	11.970
16	17.400	360 030 258	15.480
18	19.500	360 030 300	19.440
20	21.600	360 030 342	23.860
24	25.800	360 030 384	34.040
30	32.000	360 030 420	52.360
36	38.300	360 030 456	75.000
42	44.500	360 030 474	101.250
48	50.800	360 030 492	131.950



**HDPE PIPE: Waste Water Industry
DIPS, DR32.5, Black Pipe
Green Stripe, 40' Long**

- Green stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM F714
- Approval: ASTM D3035
- Approval: AWWA C906
- Approval: NSF-61

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
10	11.100	360 030 132	5.080
30	32.000	360 030 426	42.240
36	38.300	360 030 462	60.510
42	44.500	360 030 480	81.690
48	50.800	360 030 498	106.460

IPS - 50' Long



**HDPE PIPE: Natural Gas Industry
IPS, DR7, Black Pipe
Yellow Stripe, 50' Long**

- Black pipe, yellow stripe, yellow print line.
 - Yellow stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM D2513
 - Approval: 49 CFR 192
 - Approval: API 15LE
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 031 371	7.370
8	8.625	360 031 387	12.500
10	10.750	360 031 407	19.420
12	12.750	360 031 427	27.310



**HDPE PIPE: Natural Gas Industry
IPS, DR7, Black Pipe
50' Long**

- Black pipe, no stripe, yellow print line.
 - Yellow stripe optional.
 - Other lengths available.
 - Call for availability of other sizes and dimensions.
 - Approval: ASTM D2513
 - Approval: 49 CFR 192
 - Approval: API 15LE
- **PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.500	360 032 120	3.400
6	6.625	360 031 373	7.370
8	8.625	360 031 389	12.500
12	12.750	360 031 429	27.310



**HDPE PIPE: Natural Gas Industry
IPS, DR9, Black Pipe
Yellow Stripe, 50' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 031 375	5.960
8	8.625	360 031 391	10.110
10	10.750	360 031 411	15.700
12	12.750	360 031 431	22.080
16	16.000	360 031 451	34.780
18	18.000	360 031 471	44.020



**HDPE PIPE: Natural Gas Industry
IPS, DR9, Black Pipe
50' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 031 377	5.960
8	8.625	360 031 393	10.110
10	10.750	360 031 413	15.700
12	12.750	360 031 433	22.080
16	16.000	360 031 453	34.780
18	18.000	360 031 473	44.020



**HDPE PIPE: Natural Gas Industry
IPS, DR11, Black Pipe
Yellow Stripe, 50' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 031 379	5.000
8	8.625	360 031 395	8.470
10	10.750	360 031 415	13.160

table continued on the next page

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
12	12.750	360 031 435	18.510
16	16.000	360 031 455	29.150
18	18.000	360 031 475	36.890
20	20.000	360 031 491	45.540
24	24.000	360 031 507	65.580



**HDPE PIPE: Natural Gas Industry
IPS, DR11, Black Pipe
50' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 031 381	5.000
8	8.625	360 031 397	8.470
10	10.750	360 031 417	13.160
12	12.750	360 031 437	18.510
16	16.000	360 031 457	29.150
18	18.000	360 031 477	36.890
20	20.000	360 031 493	45.540
24	24.000	360 031 509	65.580



**HDPE PIPE: Natural Gas Industry
IPS, DR13.5, Black Pipe
Yellow Stripe, 50' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

OD (inch)	Nominal Pipe Size (inch)	GF Part No.	weight (lb)
9	8	360 031 399	7.040
11	10	360 031 419	10.930
16	16	360 031 459	24.220



**HDPE PIPE: Natural Gas Industry
IPS, DR13.5, Black Pipe
50' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
8	8.625	360 031 401	7.040
10	10.750	360 031 421	10.930
16	16.000	360 031 461	24.220



**HDPE PIPE: Natural Gas Industry
IPS, DR17, Black Pipe
Yellow Stripe, 50' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 031 383	3.360
8	8.625	360 031 403	5.690
10	10.750	360 031 423	8.830
16	16.000	360 031 463	19.570
12	12.750	360 031 443	12.430
18	18.000	360 031 483	24.770
20	20.000	360 031 499	30.580
24	24.000	360 031 515	44.030



**HDPE PIPE: Natural Gas Industry
IPS, DR17, Black Pipe
50' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
6	6.625	360 031 385	3.360
8	8.625	360 031 405	5.690
10	10.750	360 031 425	8.830

table continued on the next page

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
12	12.750	360 031 445	12.430
16	16.000	360 031 465	19.570
18	18.000	360 031 485	24.770
20	20.000	360 031 501	30.580
24	24.000	360 031 517	44.030



**HDPE PIPE: Natural Gas Industry
IPS, DR21, Black Pipe
Yellow Stripe, 50' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
12	12.750	360 031 447	10.190
16	16.000	360 031 467	16.040
18	18.000	360 031 487	20.300
20	20.000	360 031 503	25.070
24	24.000	360 031 519	36.100



**HDPE PIPE: Natural Gas Industry
IPS, DR21, Black Pipe
50' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
12	12.750	360 031 449	10.190
16	16.000	360 031 469	16.040
18	18.000	360 031 489	20.300
20	20.000	360 031 505	25.070
24	24.000	360 031 521	36.100

IPS - 40' Long



**HDPE PIPE: Natural Gas Industry
IPS, DR7, Black Pipe
Yellow Stripe, 40' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
3	3.500	360 031 358	2.060
4	4.500	360 031 362	3.400
6	6.625	360 031 370	7.370
8	8.625	360 031 386	12.500
10	10.750	360 031 406	19.420
12	12.750	360 031 426	27.310



**HDPE PIPE: Natural Gas Industry
IPS, DR7, Black Pipe
40' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
3	3.500	360 031 359	2.060
4	4.500	360 031 363	3.400
6	6.625	360 031 372	7.370
8	8.625	360 031 388	12.500
10	10.750	360 031 408	19.420
12	12.750	360 031 428	27.310
16	16.000	360 031 822	43.010
20	20.000	360 032 121	67.200



**HDPE PIPE: Natural Gas Industry
IPS, DR9, Black Pipe
Yellow Stripe, 40' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 031 356	0.770
3	3.500	360 031 360	1.660
12	12.750	360 031 430	22.080



**HDPE PIPE: Natural Gas Industry
IPS, DR9, Black Pipe
40' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
2	2.375	360 031 357	0.770
3	3.500	360 031 361	1.660
4	4.500	360 031 365	2.750
6	6.625	360 031 376	5.960
8	8.625	360 031 392	10.110
10	10.750	360 031 412	15.700
12	12.750	360 031 432	22.080
16	16.000	360 031 452	34.780
18	18.000	360 031 472	44.020



**HDPE PIPE: Natural Gas Industry
IPS, DR11, Black Pipe
Yellow Stripe, 40' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.500	360 031 366	2.310
6	6.625	360 031 378	5.000
8	8.625	360 031 394	8.470

table continued on the next page

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
10	10.750	360 031 414	13.160
12	12.750	360 031 434	18.510
16	16.000	360 031 454	29.150
18	18.000	360 031 474	36.890
20	20.000	360 031 490	45.540
24	24.000	360 031 506	65.580



**HDPE PIPE: Natural Gas Industry
IPS, DR11, Black Pipe
40' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.500	360 031 367	2.310
8	8.625	360 031 396	8.470
10	10.750	360 031 416	13.160
12	12.750	360 031 436	18.510
16	16.000	360 031 456	29.150
18	18.000	360 031 476	36.890
20	20.000	360 031 492	45.540
24	24.000	360 031 508	65.580



**HDPE PIPE: Natural Gas Industry
IPS, DR13.5, Black Pipe
Yellow Stripe, 40' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
8	8.625	360 031 398	7.040
10	10.750	360 031 418	10.930
16	16.000	360 031 458	24.220
18	18.000	360 031 478	30.650



**HDPE PIPE: Natural Gas Industry
IPS, DR13.5, Black Pipe
40' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
8	8.625	360 031 400	7.040
10	10.750	360 031 420	10.930
16	16.000	360 031 460	24.220



**HDPE PIPE: Natural Gas Industry
IPS, DR17, Black Pipe
Yellow Stripe, 40' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.500	360 031 368	1.550
6	6.625	360 031 382	3.360
8	8.625	360 031 402	5.690
10	10.750	360 031 422	8.830
12	12.750	360 031 442	12.430
16	16.000	360 031 462	19.570
18	18.000	360 031 482	24.770
20	20.000	360 031 498	30.580
24	24.000	360 031 514	44.030



**HDPE PIPE: Natural Gas Industry
IPS, DR17, Black Pipe
40' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
4	4.500	360 031 369	1.550
6	6.625	360 031 384	3.360
8	8.625	360 031 404	5.690
10	10.750	360 031 424	8.830
12	12.750	360 031 444	12.430
16	16.000	360 031 464	19.570
18	18.000	360 031 484	24.770
20	20.000	360 031 500	30.580
24	24.000	360 031 516	44.030



**HDPE PIPE: Natural Gas Industry
IPS, DR21, Black Pipe
Yellow Stripe, 40' Long**

- Black pipe, yellow stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
12	12.750	360 031 446	10.190
16	16.000	360 031 466	16.040
18	18.000	360 031 486	20.300
20	20.000	360 031 502	25.070
24	24.000	360 031 518	36.100



**HDPE PIPE: Natural Gas Industry
IPS, DR21, Black Pipe
40' Long**

- Black pipe, no stripe, yellow print line.
- Yellow stripe optional.
- Other lengths available.
- Call for availability of other sizes and dimensions.
- Approval: ASTM D2513
- Approval: 49 CFR 192
- Approval: API 15LE

****PIPE WEIGHT SHOWN PER FOOT****

Nominal Pipe Size (inch)	OD (inch)	GF Part No.	weight (lb)
12	12.750	360 031 448	10.190
16	16.000	360 031 468	16.040
18	18.000	360 031 488	20.300
20	20.000	360 031 504	25.070
24	24.000	360 031 520	36.100

Index

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
360 030 000	83	360 030 062	58	360 030 139	71	360 030 202	25
360 030 001	58	360 030 063	49	360 030 140	58	360 030 203	12
360 030 002	23	360 030 064	23	360 030 141	49	360 030 204	86
360 030 003	84	360 030 065	10	360 030 142	23	360 030 205	73
360 030 004	58	360 030 066	84	360 030 143	10	360 030 206	60
360 030 005	24	360 030 067	72	360 030 144	84	360 030 207	51
360 030 006	84	360 030 068	58	360 030 145	72	360 030 208	26
360 030 007	59	360 030 069	49	360 030 146	58	360 030 209	13
360 030 008	24	360 030 070	24	360 030 147	49	360 030 210	87
360 030 009	85	360 030 071	11	360 030 148	24	360 030 211	14
360 030 010	59	360 030 072	84	360 030 149	11	360 030 212	61
360 030 011	25	360 030 073	72	360 030 150	84	360 030 214	27
360 030 012	86	360 030 074	59	360 030 151	72	360 030 216	87
360 030 013	60	360 030 075	50	360 030 152	59	360 030 217	75
360 030 014	26	360 030 076	24	360 030 153	50	360 030 218	62
360 030 015	87	360 030 077	11	360 030 154	24	360 030 219	52
360 030 016	61	360 030 078	85	360 030 155	11	360 030 220	27
360 030 017	27	360 030 080	59	360 030 156	85	360 030 222	83
360 030 018	83	360 030 082	25	360 030 157	73	360 030 223	72
360 030 019	71	360 030 084	86	360 030 158	59	360 030 224	58
360 030 020	58	360 030 085	73	360 030 159	50	360 030 225	49
360 030 021	49	360 030 086	60	360 030 160	25	360 030 226	24
360 030 022	23	360 030 087	51	360 030 161	12	360 030 227	11
360 030 023	10	360 030 088	26	360 030 162	86	360 030 228	84
360 030 024	84	360 030 089	13	360 030 163	73	360 030 229	72
360 030 025	72	360 030 090	87	360 030 164	60	360 030 230	58
360 030 026	58	360 030 092	61	360 030 165	51	360 030 231	49
360 030 027	49	360 030 094	27	360 030 166	26	360 030 232	24
360 030 028	24	360 030 096	83	360 030 167	13	360 030 233	11
360 030 029	11	360 030 097	71	360 030 168	87	360 030 234	84
360 030 030	84	360 030 098	58	360 030 169	74	360 030 235	72
360 030 031	72	360 030 099	49	360 030 170	61	360 030 236	59
360 030 032	59	360 030 100	23	360 030 171	52	360 030 237	50
360 030 033	50	360 030 101	10	360 030 172	27	360 030 238	24
360 030 034	24	360 030 102	84	360 030 173	14	360 030 239	11
360 030 035	11	360 030 103	72	360 030 174	83	360 030 240	85
360 030 036	85	360 030 104	58	360 030 175	71	360 030 241	73
360 030 037	73	360 030 105	49	360 030 176	58	360 030 242	59
360 030 038	59	360 030 106	24	360 030 177	49	360 030 243	50
360 030 039	50	360 030 107	11	360 030 178	23	360 030 244	25
360 030 040	25	360 030 108	84	360 030 179	10	360 030 245	12
360 030 041	12	360 030 109	72	360 030 180	84	360 030 246	86
360 030 042	86	360 030 110	59	360 030 181	72	360 030 247	73
360 030 043	73	360 030 111	50	360 030 182	58	360 030 248	60
360 030 044	60	360 030 112	24	360 030 183	49	360 030 249	51
360 030 045	51	360 030 113	11	360 030 184	24	360 030 250	26
360 030 046	26	360 030 114	85	360 030 185	11	360 030 251	13
360 030 047	13	360 030 116	59	360 030 186	84	360 030 252	87
360 030 048	86	360 030 118	25	360 030 187	72	360 030 254	61
360 030 049	74	360 030 120	86	360 030 188	59	360 030 256	27
360 030 050	61	360 030 121	73	360 030 189	50	360 030 258	87
360 030 051	51	360 030 122	60	360 030 190	24	360 030 260	62
360 030 052	26	360 030 123	51	360 030 191	11	360 030 262	27
360 030 053	13	360 030 124	26	360 030 192	85	360 030 264	83
360 030 054	87	360 030 125	13	360 030 194	59	360 030 265	72
360 030 055	74	360 030 126	87	360 030 195	50	360 030 266	58
360 030 056	61	360 030 128	61	360 030 196	25	360 030 267	49
360 030 057	52	360 030 130	27	360 030 197	12	360 030 268	24
360 030 058	27	360 030 132	88	360 030 198	85	360 030 269	11
360 030 059	14	360 030 134	62	360 030 199	73	360 030 270	84
360 030 060	83	360 030 136	28	360 030 200	60	360 030 272	58
360 030 061	71	360 030 138	83	360 030 201	51	360 030 273	49, 72

Index

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
360 030 274	24	360 030 348	83	360 030 422	62	360 030 509	17
360 030 275	11	360 030 349	72	360 030 423	52	360 030 510	78
360 030 276	84	360 030 350	58	360 030 424	27	360 030 511	54
360 030 277	72	360 030 351	49	360 030 425	14	360 030 512	17
360 030 278	59	360 030 352	24	360 030 426	88	360 030 513	79
360 030 279	50	360 030 353	11	360 030 428	62	360 030 514	54
360 030 280	24	360 030 354	84	360 030 430	28	360 030 515	18
360 030 281	11	360 030 355	72	360 030 432	84	360 030 516	79
360 030 282	85	360 030 356	58	360 030 433	72	360 030 517	55
360 030 284	59	360 030 357	49	360 030 434	59	360 030 518	19
360 030 286	25	360 030 358	24	360 030 435	50	360 030 519	80
360 030 288	86	360 030 359	11	360 030 436	25	360 030 520	56
360 030 289	73	360 030 360	84	360 030 437	12	360 030 521	20
360 030 290	60	360 030 361	72	360 030 438	73	360 030 522	77
360 030 291	51	360 030 362	59	360 030 439	73	360 030 523	53
360 030 292	26	360 030 363	50	360 030 440	59	360 030 524	16
360 030 293	13	360 030 364	25	360 030 441	50	360 030 525	77
360 030 294	87	360 030 365	12	360 030 442	25	360 030 526	53
360 030 296	61	360 030 366	85	360 030 443	12	360 030 527	17
360 030 298	27	360 030 368	59	360 030 444	86	360 030 528	78
360 030 300	87	360 030 370	25	360 030 445	74	360 030 529	54
360 030 302	62	360 030 372	86	360 030 446	60	360 030 530	17
360 030 304	27	360 030 373	74	360 030 447	51	360 030 531	79
360 030 306	83	360 030 374	60	360 030 448	26	360 030 532	54
360 030 307	72	360 030 375	51	360 030 449	13	360 030 533	18
360 030 308	58	360 030 376	26	360 030 450	87	360 030 537	79
360 030 309	49	360 030 377	13	360 030 451	74	360 030 538	55
360 030 310	24	360 030 378	87	360 030 452	61	360 030 539	19
360 030 311	11	360 030 380	61	360 030 453	52	360 030 540	80
360 030 312	84	360 030 382	27	360 030 454	27	360 030 541	56
360 030 313	72	360 030 384	87	360 030 456	87	360 030 542	20
360 030 314	58	360 030 386	62	360 030 457	75	360 030 543	77
360 030 315	49	360 030 388	27	360 030 458	62	360 030 544	53
360 030 316	24	360 030 390	84	360 030 459	52	360 030 545	16
360 030 317	11	360 030 391	72	360 030 460	27	360 030 546	77
360 030 318	84	360 030 392	58	360 030 461	14	360 030 547	53
360 030 319	72	360 030 393	49	360 030 462	88	360 030 548	17
360 030 320	59	360 030 394	24	360 030 464	62	360 030 549	78
360 030 321	50	360 030 395	11	360 030 466	28	360 030 550	54
360 030 322	25	360 030 396	84	360 030 468	87	360 030 551	17
360 030 323	12	360 030 397	72	360 030 470	61	360 030 552	79
360 030 324	85	360 030 398	59	360 030 472	27	360 030 553	54
360 030 325	73	360 030 399	50	360 030 474	87	360 030 554	18
360 030 326	59	360 030 400	25	360 030 476	62	360 030 556	18
360 030 327	50	360 030 401	12	360 030 478	27	360 030 558	79
360 030 328	25	360 030 402	85	360 030 480	88	360 030 559	55
360 030 329	12	360 030 404	59	360 030 482	62	360 030 560	19
360 030 330	86	360 030 406	25	360 030 484	28	360 030 561	80
360 030 331	74	360 030 408	86	360 030 486	87	360 030 562	56
360 030 332	60	360 030 409	74	360 030 488	61	360 030 563	20
360 030 333	51	360 030 410	60	360 030 490	27	360 030 564	80
360 030 334	26	360 030 411	51	360 030 492	87	360 030 565	57
360 030 335	13	360 030 412	26	360 030 494	62	360 030 566	20
360 030 336	87	360 030 413	13	360 030 496	27	360 030 567	77
360 030 337	74	360 030 414	87	360 030 498	88	360 030 568	66
360 030 338	61	360 030 415	74	360 030 500	62	360 030 569	53
360 030 339	52	360 030 416	61	360 030 502	28	360 030 570	44
360 030 340	27	360 030 417	52	360 030 504	77	360 030 571	16
360 030 341	14	360 030 418	27	360 030 505	53	360 030 572	5
360 030 342	87	360 030 419	14	360 030 506	16	360 030 573	77
360 030 344	62	360 030 420	87	360 030 507	77	360 030 574	67
360 030 346	27	360 030 421	75	360 030 508	53	360 030 575	53

Index

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
360 030 576	44	360 030 652	68	360 030 733	16	360 030 818	5
360 030 577	17	360 030 653	55	360 030 734	5	360 030 819	78
360 030 578	5	360 030 654	46	360 030 735	77	360 030 820	67
360 030 579	78	360 030 655	19	360 030 736	67	360 030 821	54
360 030 580	67	360 030 656	7	360 030 737	53	360 030 822	45
360 030 581	54	360 030 657	80	360 030 738	44	360 030 823	17
360 030 582	45	360 030 658	69	360 030 739	17	360 030 824	6
360 030 583	17, 45	360 030 659	56	360 030 740	5	360 030 825	79
360 030 584	6	360 030 660	47	360 030 741	78	360 030 826	68
360 030 585	79	360 030 661	20	360 030 742	67	360 030 827	54
360 030 586	68	360 030 662	8	360 030 743	54	360 030 828	45
360 030 587	54	360 030 675	77	360 030 744	45	360 030 829	18
360 030 589	18	360 030 676	66	360 030 745	17	360 030 830	6
360 030 590	6	360 030 677	53	360 030 746	6	360 030 837	80
360 030 597	79	360 030 678	44	360 030 751	18	360 030 838	68
360 030 598	68	360 030 679	16	360 030 759	79	360 030 839	55
360 030 599	55	360 030 680	5	360 030 760	68	360 030 840	46
360 030 600	46	360 030 681	77	360 030 761	55	360 030 841	19
360 030 601	19	360 030 682	67	360 030 762	46	360 030 842	7
360 030 602	7	360 030 683	53	360 030 763	19	360 030 843	80
360 030 603	80	360 030 684	44	360 030 764	7	360 030 844	69
360 030 604	69	360 030 685	17	360 030 765	80	360 030 845	56
360 030 605	56	360 030 686	5	360 030 766	69	360 030 846	47
360 030 606	47	360 030 687	78	360 030 767	56	360 030 847	20
360 030 607	20	360 030 688	67	360 030 768	47	360 030 848	8
360 030 608	8	360 030 689	54	360 030 769	20	360 030 854	44
360 030 609	80	360 030 690	45	360 030 770	8	360 030 855	81
360 030 610	70	360 030 691	17	360 030 775	20	360 030 856	70
360 030 611	57	360 030 692	6	360 030 783	77	360 030 857	57
360 030 612	47	360 030 693	79	360 030 784	66	360 030 858	48
360 030 613	20	360 030 694	68	360 030 785	53	360 030 859	21
360 030 614	9	360 030 695	54	360 030 786	44	360 030 860	9
360 030 615	81	360 030 696	45	360 030 787	16	360 030 861	77
360 030 616	70	360 030 697	18	360 030 788	5	360 030 862	66
360 030 617	57	360 030 698	6	360 030 789	77	360 030 863	53
360 030 618	48	360 030 699	79	360 030 790	67	360 030 865	16
360 030 620	9	360 030 700	68	360 030 791	53	360 030 866	5
360 030 621	77	360 030 701	55	360 030 792	44	360 030 867	77
360 030 622	66	360 030 702	46	360 030 793	17	360 030 868	67
360 030 623	53	360 030 703	18	360 030 794	5	360 030 869	53
360 030 624	44	360 030 704	7	360 030 795	78	360 030 870	44
360 030 625	16	360 030 706	68	360 030 796	67	360 030 871	17
360 030 626	5	360 030 707	55	360 030 797	54	360 030 872	5
360 030 627	77	360 030 708	46, 79	360 030 798	45	360 030 873	78
360 030 628	67	360 030 709	19	360 030 799	17	360 030 874	67
360 030 629	53	360 030 710	7	360 030 800	6	360 030 875	54
360 030 630	44	360 030 711	80	360 030 801	80	360 030 876	45
360 030 631	17	360 030 712	69	360 030 802	68	360 030 877	17
360 030 632	5	360 030 713	56	360 030 803	55	360 030 878	6
360 030 633	78	360 030 714	47	360 030 804	46	360 030 879	80
360 030 634	67	360 030 715	20	360 030 805	19	360 030 880	69
360 030 635	54	360 030 716	8	360 030 807	77	360 030 881	55
360 030 636	45	360 030 723	81	360 030 808	66	360 030 882	46
360 030 637	17	360 030 724	70	360 030 809	53	360 030 883	19
360 030 638	6	360 030 725	57	360 030 810	44	360 030 884	7
360 030 639	79	360 030 726	48	360 030 811	16	360 030 885	80
360 030 640	68	360 030 727	21	360 030 812	5	360 030 886	69
360 030 641	54	360 030 728	9	360 030 813	77	360 030 887	56
360 030 642	45	360 030 729	77	360 030 814	67	360 030 888	47
360 030 643	18	360 030 730	66	360 030 815	53	360 030 889	20
360 030 644	6	360 030 731	53	360 030 816	44	360 030 890	8
360 030 651	79	360 030 732	44	360 030 817	17	360 030 891	80

Index

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
360 030 892	70	360 030 967	19	360 031 045	21	360 031 167	22
360 030 893	57	360 030 968	7	360 031 046	9	360 031 168	10
360 030 894	47	360 030 975	80	360 031 047	17	360 031 169	82
360 030 895	20	360 030 976	70	360 031 049	18	360 031 170	71
360 030 896	9	360 030 977	57	360 031 050	6	360 031 171	22
360 030 903	77	360 030 978	47	360 031 051	19	360 031 172	10
360 030 904	66	360 030 979	20	360 031 052	7	360 031 173	83
360 030 905	53	360 030 980	9	360 031 056	9	360 031 175	23
360 030 906	44	360 030 987	77	360 031 059	17	360 031 177	82
360 030 907	16	360 030 988	66	360 031 060	5	360 031 189	83
360 030 908	5	360 030 989	53	360 031 061	18	360 031 191	23
360 030 909	77	360 030 990	44	360 031 062	6	360 031 197	82
360 030 910	67	360 030 991	16	360 031 063	19	360 031 199	22
360 030 911	53	360 030 992	5	360 031 064	7	360 031 200	10
360 030 912	44	360 030 993	77	360 031 067	20	360 031 201	82
360 030 913	17	360 030 994	67	360 031 068	8	360 031 202	71
360 030 914	5	360 030 995	53	360 031 069	20	360 031 203	22
360 030 915	78	360 030 996	44	360 031 070	9	360 031 204	10
360 030 916	67	360 030 997	17	360 031 071	21	360 031 205	83
360 030 917	54	360 030 998	5	360 031 072	9	360 031 207	23
360 030 918	45	360 030 999	78	360 031 073	17	360 031 214	71
360 030 919	17	360 031 000	67	360 031 074	5	360 031 221	83
360 030 920	6	360 031 001	54	360 031 075	18	360 031 223	23
360 030 921	80	360 031 002	45	360 031 076	6	360 031 226	15
360 030 922	69	360 031 003	17	360 031 077	19	360 031 234	15
360 030 923	55	360 031 004	6	360 031 078	7	360 031 236	76
360 030 924	46	360 031 005	80	360 031 079	20	360 031 237	66
360 030 925	19	360 031 006	69	360 031 080	8	360 031 238	15
360 030 926	7	360 031 007	55	360 031 081	20	360 031 239	4
360 030 927	80	360 031 008	46	360 031 082	9	360 031 246	15
360 030 928	69	360 031 009	19	360 031 083	21	360 031 250	15
360 030 929	56	360 031 010	7	360 031 084	9	360 031 252	76
360 030 930	47	360 031 011	78	360 031 085	18	360 031 253	66
360 030 931	20	360 031 012	69	360 031 086	6	360 031 254	15
360 030 932	8	360 031 013	56	360 031 087	19	360 031 255	4
360 030 933	80	360 031 014	46	360 031 088	7	360 031 256	76
360 030 934	70	360 031 015	19	360 031 089	20	360 031 258	16
360 030 935	57	360 031 016	8	360 031 090	8	360 031 266	15
360 030 936	47	360 031 017	80	360 031 091	20	360 031 267	4
360 030 937	20	360 031 018	69	360 031 092	9	360 031 268	76
360 030 938	9	360 031 019	56	360 031 093	21	360 031 269	66
360 030 946	66	360 031 020	47	360 031 094	9	360 031 270	15
360 030 947	53	360 031 021	20	360 031 137	82	360 031 271	4
360 030 948	44	360 031 022	8	360 031 139	22	360 031 272	76
360 030 949	16	360 031 023	80	360 031 140	10	360 031 276	82
360 030 950	5	360 031 024	70	360 031 141	82	360 031 281	71
360 030 951	77	360 031 025	57	360 031 145	82	360 031 282	15
360 030 952	67	360 031 026	47	360 031 146	71	360 031 284	76
360 030 953	53	360 031 027	20	360 031 147	22	360 031 285	66
360 030 954	44	360 031 028	9	360 031 148	10	360 031 286	15
360 030 955	17	360 031 029	81	360 031 149	83	360 031 287	4
360 030 956	5	360 031 030	70	360 031 151	23	360 031 290	16
360 030 957	78	360 031 031	57	360 031 153	82	360 031 298	15
360 030 958	67	360 031 032	48	360 031 155	22	360 031 300	76
360 030 959	54	360 031 033	21	360 031 156	10	360 031 301	66
360 030 960	45	360 031 034	9	360 031 157	82	360 031 302	16
360 030 961	17	360 031 035	17	360 031 158	71	360 031 303	4
360 030 962	6	360 031 036	5	360 031 159	22	360 031 310	15
360 030 963	80	360 031 037	17	360 031 160	10	360 031 314	15
360 030 964	69	360 031 038	6	360 031 161	83	360 031 315	4
360 030 965	55	360 031 039	19	360 031 163	23	360 031 316	76
360 030 966	46	360 031 040	7	360 031 165	82	360 031 317	66

Index

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
360 031 318	16	360 031 415	93	360 031 486	101	360 031 562	41
360 031 319	4	360 031 416	99	360 031 487	96	360 031 563	36
360 031 330	15	360 031 417	94	360 031 488	102	360 031 564	41
360 031 332	76	360 031 418	99	360 031 489	96	360 031 565	36
360 031 333	66	360 031 419	94	360 031 490	99	360 031 566	40
360 031 334	16	360 031 420	100	360 031 491	94	360 031 568	40
360 031 335	4	360 031 421	95	360 031 492	99	360 031 569	35
360 031 346	15	360 031 422	100	360 031 493	94	360 031 570	41
360 031 347	4	360 031 423	95	360 031 498	100	360 031 571	36
360 031 356	98	360 031 424	101	360 031 499	95	360 031 572	41
360 031 357	98	360 031 425	95	360 031 500	101	360 031 573	36
360 031 358	97	360 031 426	97	360 031 501	96	360 031 574	40
360 031 359	97	360 031 427	92	360 031 502	101	360 031 576	40
360 031 360	98	360 031 428	97	360 031 503	96	360 031 577	35
360 031 361	98	360 031 429	92	360 031 504	102	360 031 578	41
360 031 362	97	360 031 430	98	360 031 505	96	360 031 579	36
360 031 363	97	360 031 431	93	360 031 506	99	360 031 580	41
360 031 365	98	360 031 432	98	360 031 507	94	360 031 581	36
360 031 366	98	360 031 433	93	360 031 508	99	360 031 583	35
360 031 367	99	360 031 434	99	360 031 509	94	360 031 584	40
360 031 368	100	360 031 435	94	360 031 514	100	360 031 585	35
360 031 369	101	360 031 436	99	360 031 515	95	360 031 586	41
360 031 370	97	360 031 437	94	360 031 516	101	360 031 587	36
360 031 371	92	360 031 442	100	360 031 517	96	360 031 588	41
360 031 372	97	360 031 443	95	360 031 518	101	360 031 589	36
360 031 373	92	360 031 444	101	360 031 519	96	360 031 590	40
360 031 375	93	360 031 445	96	360 031 520	102	360 031 591	35
360 031 376	98	360 031 446	101	360 031 521	96	360 031 593	35
360 031 377	93	360 031 447	96	360 031 522	40	360 031 594	41
360 031 378	98	360 031 448	102	360 031 523	40	360 031 595	36
360 031 379	93	360 031 449	96	360 031 524	41	360 031 596	41
360 031 381	94	360 031 451	93	360 031 525	41	360 031 597	36
360 031 382	100	360 031 452	98	360 031 526	40	360 031 598	37
360 031 383	95	360 031 453	93	360 031 528	40	360 031 599	37
360 031 384	101	360 031 454	99	360 031 529	35	360 031 600	38
360 031 385	95	360 031 455	94	360 031 530	41	360 031 601	38
360 031 386	97	360 031 456	99	360 031 531	36	360 031 602	39
360 031 387	92	360 031 457	94	360 031 532	41	360 031 603	39
360 031 388	97	360 031 458	99	360 031 533	36	360 031 604	37
360 031 389	92	360 031 459	94	360 031 534	40	360 031 605	37
360 031 391	93	360 031 460	100	360 031 536	40	360 031 606	38
360 031 392	98	360 031 461	95	360 031 537	35	360 031 607	38
360 031 393	93	360 031 462	100	360 031 538	41	360 031 608	39
360 031 394	98	360 031 463	95	360 031 539	36	360 031 609	39
360 031 395	93	360 031 464	101	360 031 540	41	360 031 610	37
360 031 396	99	360 031 465	96	360 031 541	36	360 031 611	37
360 031 397	94	360 031 466	101	360 031 542	40	360 031 612	38
360 031 398	99	360 031 467	96	360 031 544	40	360 031 613	38
360 031 399	94	360 031 468	102	360 031 545	35	360 031 614	39
360 031 400	100	360 031 469	96	360 031 546	41	360 031 615	39
360 031 401	95	360 031 471	93	360 031 547	36	360 031 616	37
360 031 402	100	360 031 472	98	360 031 548	41	360 031 618	37
360 031 403	95	360 031 473	93	360 031 549	36	360 031 619	32
360 031 404	101	360 031 474	99	360 031 550	40	360 031 620	38
360 031 405	95	360 031 475	94	360 031 553	35	360 031 621	33
360 031 406	97	360 031 476	99	360 031 554	41	360 031 622	38
360 031 407	92	360 031 477	94	360 031 555	36	360 031 623	33
360 031 408	97	360 031 478	99	360 031 556	41	360 031 624	39
360 031 411	93	360 031 482	100	360 031 557	36	360 031 625	34
360 031 412	98	360 031 483	95	360 031 558	40	360 031 626	39
360 031 413	93	360 031 484	101	360 031 560	40	360 031 627	34
360 031 414	99	360 031 485	96	360 031 561	35	360 031 628	37

Index

Part No.	Page	Part No.	Page
360 031 629	32	360 031 691	32
360 031 630	37	360 031 692	38
360 031 631	32	360 031 693	33
360 031 632	38	360 031 694	38
360 031 633	33	360 031 695	33
360 031 634	38	360 031 696	39
360 031 635	33	360 031 697	34
360 031 636	39	360 031 698	39
360 031 637	34	360 031 699	34
360 031 638	39	360 031 700	37
360 031 639	34	360 031 701	32
360 031 640	37	360 031 702	37
360 031 641	32	360 031 703	32
360 031 642	37	360 031 704	38
360 031 643	32	360 031 705	33
360 031 644	38	360 031 706	38
360 031 645	33	360 031 707	33
360 031 646	38	360 031 708	39
360 031 647	33	360 031 709	34
360 031 648	39	360 031 710	39
360 031 649	34	360 031 711	34
360 031 650	39	360 031 712	37
360 031 651	34	360 031 713	32
360 031 652	37	360 031 714	37
360 031 653	32	360 031 715	32
360 031 654	37	360 031 716	38
360 031 655	32	360 031 717	33
360 031 656	38	360 031 718	38
360 031 657	33	360 031 719	33
360 031 658	38	360 031 720	39
360 031 659	33	360 031 721	34
360 031 660	39	360 031 722	39
360 031 661	34	360 031 723	34
360 031 662	39	360 031 724	37
360 031 663	34	360 031 725	32
360 031 664	37	360 031 726	37
360 031 665	32	360 031 727	32
360 031 666	37	360 031 728	38
360 031 667	32	360 031 729	33
360 031 668	38	360 031 730	38
360 031 669	33	360 031 731	33
360 031 670	38	360 031 732	39
360 031 671	33	360 031 733	34
360 031 672	39	360 031 735	34, 39
360 031 673	34	360 031 742	82
360 031 674	39	360 031 781	22
360 031 675	34	360 031 802	71
360 031 676	37	360 031 822	97
360 031 677	32	360 031 852	76
360 031 678	37	360 031 858	22
360 031 679	32	360 031 971	10
360 031 680	38	360 032 003	15
360 031 681	33	360 032 004	16
360 031 682	38	360 032 120	92
360 031 683	33	360 032 121	97
360 031 684	39	360 032 149	23
360 031 685	34	360 032 178	82
360 031 686	39		
360 031 687	34		
360 031 688	37		
360 031 689	32		
360 031 690	37		